



SECURE HDU-USD01

SATA HDD DOCKING SERIES

Overview

- Direct inserting all 3.5" or 2.5" SATA hard drives into docking units.
- Outstanding design for easy and quick installation and for using HDD simply.
- Without breaking out the tool kit and setting it in an enclosure or mounting it in a chassis.
- Provide enough protection to read or write to the drive then move on to the next drive easily.
- Able to be a docking station only or complete HDD and docking station kit.

Features

- Patented Design for HDD depart from docking unit.
- All 2.5" & 3.5" SATA HDD Docking Compatible.
- Supports USB 2.0 Transfer rate up to 480M bps.
- Supports e-SATA transfer speed up to 3G bps.
- 12V/2A Power Adaptor.
- Power and Access LED Indicate.
- Support all 2.5" & 3.5" SATA HDD up to 1TB.
- Hot-Swap Capability for Rapid Multi HDD Access & Exchange.
- Compact Design maximizes Heat Dissipation & Exhaust.
- Windows Vista Ready !



SECURE^{HDU-US001}

SATA HDD DOCKING SERIES

Specification

Product Name	Secure USD01
Product Number	CPH-SPHEU-U02
Inter Face	USB2.0 / eSATA
Connector	USB x 1, eSATA x 7pin x 1
Hard Disk	SATA 2.5" / 3.5" HDD
LED	Power LED & HDD Access LED
Power Supply	AC 100-240V / DC 12V 2.0A
Support OS (PC)	Windows 98 , ME , 2000 , XP , VISTA
Support OS (MAC)	MAC OS X , MAC OS 9
Cable	USB 2.0 x 1 / eSATA x 1
Application	All 3.5" or 2.5" SATA HDD



SECURE HDU-USD01


SATA HDD DOCKING SERIES

Universal Retention Module

2.5" or 3.5" SATA HDD Installation Steps



Direct inserting all 2.5" or 3.5" hard drives into HDU-USD01 connector



Accessory



Usb cable * 1



ESATA cable * 1



12V / 2A DC Adaptor



Adaptor